



USER'S MANUAL

FOLLOW M8 SEAT



SUMMARY

1	Packing List	3
2	Product Specifications	3
3	Cautions	4
4	Overview	5
5	Assembly	6
6	Maintenance	9
7	Storage	9
8	Customer service - technical assistance	10



1 Packing List

- Seat
- Seat support bracket
- Mounting bracket
- Mounting plate
- Assembly bolt, washer and nuts



Fig. A - Assembly kit

2 Product Specifications

Seat Dimensions	12 x 7 inch
Material	Stainless - ABS
Weight	5 lb
Max load	200 lb



3 Cautions



FIRST USE

- Read the user manual carefully before using the product.



DANGER!!

- DO NOT overload the seat.
- DO NOT use on very wet playing surfaces.
- DO NOT use on slopes.
- DO NOT stand on the seat.
- DO NOT allow more than one person to sit on the seat.



CAUTION

- Warning: Always keep your feet firmly on the ground when using the seat.
- Do not attempt to sit on or press down on the seat while the caddy is in motion
- Periodically ensure that all seat mounting screws are properly tightened.



4 Overview

The Follow M8 Seat is specifically designed to be installed on the Follow M8 caddy.

The seat is equipped with a spring-loaded support leg, allowing you to sit comfortably while waiting for your turn to play. Once you stand up, the spring automatically lifts the support leg off the ground, enabling the golf caddy to continue moving without the need to operate any buttons or locking mechanisms.

In addition to its main seating function, there is a convenient storage compartment located underneath the seat. It can hold up to four golf balls, a scorecard, pencil, tees, and personal items such as keys, wallet, phone, or even a club adjustment tool.

Installation is extremely simple, and once assembled, the seat can be removed without the use of any tools simply lift it off its support arm. The support arm itself can remain permanently installed on the golf caddy, as it does not increase its overall bulk or interfere with the folding mechanism.



Fig. B - Product Overview



5 Assembly

To assemble the seat onto your Follow M8 caddy, please proceed as follows:

1. Remove the mounting screws and spacers from the support plate, then place it onto the aluminum tube of the caddy, ensuring it is positioned at the center of the tube.
2. The side where the support plate's mounting bolts are positioned will be the opposite side of where the seat will be installed.

For example: if, when looking at the caddy from the handle/control side, the plate's mounting bolts are on the left side of the caddy, the seat will be positioned on the right side. Conversely, if the bolts are on the right side of the caddy, the seat will be positioned on the left side.




Fig. C - Mounting plate assembly



3. Position the spacers on the mounting plate, then insert the mounting screws from the top and secure them with the locking nuts from underneath.
4. Tighten the mounting screws of the plate firmly.




Fig. D - Mounting plate fixing

5. Insert the square end of the support leg into the square hole located on the underside of the seat, making sure that the "Green Eagle Golf" logo on the seat is facing the square metal profile positioned near the support leg. Otherwise, when you mount the seat onto the caddy, it will be installed facing the wrong direction.
6. Insert the fixing bolt that secures the seat to the support leg. Once inserted, first place the washer and then the locking nut, and tighten everything firmly.



Fig. E - Seat support fixing



7. Insert the support bracket into the mounting plate, as shown in Figure F, then secure the arm using the supplied knob screw to ensure it remains firmly in position and cannot move.



Fig. F - Support bracket assembly

8. At this point, simply place the seat with its support onto the seat support bracket to complete the assembly, as shown in Figure G.



Fig. G- Seat assembly on the caddy.



6 Maintenance

Cleaning:

To clean the seat, simply use a cloth dampened with warm water. In case of mud or heavy dirt buildup, a general-purpose surface degreaser may be used.

Do not use solvent-based products or bleach to clean the seat or plastic components, as they may cause discoloration or damage.

7 Storage

Store the unit in a cool, dry place, away from direct light and extreme heat.



8 Customer service - technical assistance

In case of questions or doubts, please contact our customer service.



Website: www.greeneaglegolf.com

E-mail: support@greeneaglegolf.com

Telephone: (786) 912-2571



[greeneagle_golf](https://www.instagram.com/greeneagle_golf)



[Green Eagle Golf](https://www.facebook.com/GreenEagleGolf)

This document and its contents are the property of Green Eagle Golf all rights are reserved and the contents cannot be reproduced, even partially, without written authorization from the manufacturer.